General Index

A

Acanthohaustorius millsi, 95–7
Acartia clausi, 194–5, 206
  tonsa, 186, 188–197, 199, 200–8
Acetabularia, 172
  crenulata, 173–4
Acetes americanus carolinae, 36, 42–6
Acetic acid, 24
Acetone, 99
Acid phosphatase, 24–5
Adams, J. R., 145–154
  and W. J. North, 139–144
A. aerogenes, 59
Algae, 29, 153, 178
  benthic, 173–4, 235
  blue-green, 184
  green, 184
  macro, 172–3
  micro, 173–4
Alosa sapidissima, 67
Alutera schoepfi, 83
American shad, 67
Amphipod, 1, 221
  A, 221–2
  haustoriid, 93, 95
Anderson, R. R., 157–164, 307–312
Anemone, 79, 81, 221
Ansell, A. D., 256–7
Aquatic environment, 125–6
Armandia agilis, 96
Artemia, 78
Artibeus hirsutus, 285
Asellopsis intermedia, 255
Asterias forbesi, 230–1

B

Balanus, 221, 223, 225
  eburenus, 81–4
  improvisus, 4–6, 215, 222
  spp., 29
Bangia fuscopurpurea, 30–4
Barnacle, 65–6, 79, 81, 86, 214, 216, 224–5
  ivory, 82
  set, 213–5
Barnett, P. R. O. and B. L. S. Hardy, 255–256
Batophora oerstedii, 174
Beauchamp, R. S. A., 280
Benthic algae, 173–4, 235
  communities, 143
  micro algae, 172–3
  plants, 307–8
Biggs, R. B., and J. R. Schubel, 18–23
Bimeria, 4, 5, 215, 221, 223
  franciscana, 215–6, 222
Blue crabs, 220, 238–9
Blue-green algae, 184
Bookout, C. G. & J. D. Costlow, 252–5
Bousfield, E. L., 1–17
Brachiodontes recurvus, 222
Branchiostoma caribaeum, 96
Brachyura, 253
Bradwell steam electric station, 153
Brett, J. R., 275–6
Brevoortia tyrannus, 67
Brinkley, H. J., A. J. McErlean & J. A. Mihursky, 293–6
Bryopsis plumosa, 31–4
Bryozoan, 221
Butterclams, 153

C

Cairns, J., Jr., 177–185
Calanus finmarchicus, 194
  glacialis, 194
Callinectes. 254
  sapidus, 238, 253–4, 220
Calliopius laeviusulus, 15
Callithamnion byssoides, 30, 32–3
Calothrix crustacea, 30, 32, 34
Calyptospadix cerulea, 81
Campostoma anomalum, 73
Canuella canadensis, 189–192, 199, 200, 202, 204, 207–8
Carotenoid pigments, 301, 304
Carbon, 303–4, 308–14, 331–2, 334
CO_2, 332
Carbon uptake, 167–70
Carcinus, 230
  maenus, 231
Cardisoma guanhumi, 253
Cardium corbis, 153
Carinogammarus, 15
  cinnamomeus, 15
  roeseli, 15
Catostomus commersonii, 72
  macrocheilus, 72
Caulerpa sertularioides, 174
Ceramium rubrum, 30, 32–3
  strictum, 31–3
Ceratophyllum demersum, 157
Chara, 286
Chalk Point steam electric station, 166, 198, 210, 318–9, 242
Chemical wastes, 133
Chinook salmon, 269, 272
  spawning, 261–3, 265
Chiridotea caeca, 96
  almyra, 8
Chironomidae, 221, 222
  see also Tendipedidae, sp.
Chlorella, 333
Chlorination, 280
Chlorine, 59, 60–1, 148, 166, 169, 202, 204–5, 220, 251, 280
Chlorophyll, 102–3, 308
  a, 101–3, 168–9, 188, 195, 200, 202–3, 205, 301–4
  analysis, 301, 303–4
  anal. fluorometric method, 301–2
  analysis, spectrophotometric method, 301
  b, 301
  c, 301
Chlorophyllide *a*, 301–2
Chlorophyll-fluorescence relationship, 99, 101
  measurement, fluorometric method, 99
  standing crop estimates, 301
Chlorophyta, 31
Chromatography, 301
Chrosomus erythrogaster, 73
Chrosomus oreas, 73
Chrysaora, 75, 77, 79, 80–1, 84
  quinquecirrha, 75, 83
Cladocera, 197
Clam, 221
  gaper, 153
  littleneck, 153
  pismo, 151–2
  soft-shell, 48–9, 50–54, 56–62
Clinostomus funduloides, 69, 72–4
Cliona sp., 79
Cockles, 153
Coho salmon, 272
Colpoda duodenaria, 284
Condenser cooling, 145
  tubes, 242
Contra Costa steam electric station, 148
Cooling water, 131, 133, 144–7, 153, 210, 219
  requirement, 131
  discharges. 139, 141
Copepod, 207, 186, 188–9, 193, 195, 198, 200, 203–5
  eggs, 189, 192, 198, 199, 200, 202, 205
  epibenthic, 197
  feeding rate, 193
  growth rate, 193–5
  holoplanktonic, 197
  larvae, 198–9, 205
  mortality, 186, 202, 204–5
  nauplii, 189, 199, 202, 204–5
  osmotic stress, 192
  population densities, 208
  productivity, 193–4
  respiration, 192
Copepoda sp., 222
Copper, 244–9, 250–1
Cordylophora lacustrus, 215
Coronadena mutabilis, 66
Corophium. 225
  lacustre, 6, 8, 215, 221, 222
Cory, R. L., and J. W. Nauman, 210–217. 218–226
Coryphella sp., 83
Costlow, J. D. and C. G. Bookout, 252–255
Coutant, C. C., 261–274

Crab, 231
blue, 220, 238–9
fiddler, 235–238
ghost, 238–9
kill, 126
mud, 221
thermal addition effects, 210
Crassostrea virginica, 29, 65, 86–7, 90–1
Cronin, L. E., W. S. Davis, and C. E. Heacox, 292–3
Crustaceans, 153
Ctenephore, 214
Cumingia, 283
Cunner, 229
Current velocity, 36
Cyanophyta, 30–1
Cyclopoida, 197
Cylista leucolena, 221–2
see also *Sagartia leucolena*
Cyprinid, hybrid, 69–74
Cytochrome *c* oxidase, 238–9

D

D-amino acid oxidase, 283
Daphnia, 197
rosea, 193
Dasya pedicellata, 31–4
Davis, W. L., L. E. Cronin, and C. E. Heacox, 292–3
Detergents, 133
Dexter, D. H., 93–98
Diadumene leucolena, 81
Diamondback terrapin, 240
Diatom, 184, 241
Digenia simplex, 174
Dinoflagellate, 101
bloom, 99, 102, 302
Diopatra cuprea, 64, 96
Diplanthera, 174
Discharge water
high temperature, 126
toxic substances, 126
Discocelis grisea, 66
Dissolved oxygen (DO), 76, 220, 322–5, 327–9
manometry, 329
polarographic techniques, 328
Domestic wastes, 133
Donax variabilis, 95, 96, 97
Dovel, W. L., J. A. Mihursky, and A. J. McErlean, 104–119
Drosophila melanogaster, 284
Drost-Hansen, W., 281–288

E

Eastern white pine, 120–1
Ecological damages, 139
effects, heated water discharge, 106
effects, thermal discharge, 125, 144
system, 133
Ecosystem, 177–8, 185
Ectocarpus, 299
confervoides, 31–2, 34
Effluents, 132–3
Effluent canal, 163
Egregia laevigata, 299
Electric load growth, 139
Eliminius modestus, 86
Emerita talpoida, 96
Ensis directus, 96
Enteromorpha compressa, 31, 32–3
erecta, 31–2, 34
intestinalis, 31–2, 34
linza, 31–2, 34
minima, 31–4
prolifera, 31–2, 34
Entophysalis deusta, 30, 32, 34
Environmental modification, 126
Enzyme, 24
Epifaunal community, 221, 225
Estuarine water, 131
infringement, 131
Eurytemora affinis, 186, 188, 192–3, 196, 205, 207–8
Exosphaeroma diminutum, 95–6

F

Fiddlercrab, 235, 238
File fish, 83
Fish, 153
larvae, 253
kill, 126
thermal addition effects, 210
Flatworm, 66, 221
Flemer, D. A., 99–103, 301–306
Flounder, post larvae, 36
Fluorescence, 99–103
Fossil-fueled plant, 131–3, 137, 153, 221
stations, see fossil fueled plant unit, see fossil fueled plant
Fucus, 172
Fundulus confluentus, 109
heteroclitus, 65
luciae, 65
Fusion reactors, 132

G

Galloway, R. A., 331–335
Gammarus, 12, 215–6, 225
annulatus, 3–4, 14
chesapeakensis, 9
daiberi, 1, 3–5, 8, 12, 16, 221–2
fasciatus, 1, 3–4, 8–9, 16
locusta, 16
macrophthalmus, 15
minus, 17
mucronatus, 1, 4, 9, 14–15
oceanicus, 4
palustris, 1, 4, 9, 10–11, 15
setosus, 4
sp., 15
tigrinus, 1, 3, 8, 14
Gaper clams, 153
Gas cooled reactor, 132
Gastropod, 221–2
Gemma gemma, 96
Ghost crab, 238–9
Glottidia audcharti, 96
Glutaraldehyde, 24–5
Gomori acid phosphatase medium, 24
Gracilaria, 299
Green algae, 184
Gynaecotyla adunca, 235, 239–240

H

Haddam Neck steam electric station, 137
Halemida, 299
incrasata, 172–4
Hanford nuclear complex, 261
Haploscoloplus fragilis, 96, 97
Hardy, B. L. S. & P. R. O. Barnett, 255–256
Harman, D. M., 120–122
Haustorius sp., 96
Haven, D. S. & H. N. Jones, Jr., 75–84
Heacox, C. E., L. E. Cronin, & W. S. Davis, 292–3
Hearing, V. J., 24–28
Heat resistance, 158
Heated effluent, 135, 139, 141, 158, 173, 250
advantageous use, 289
Heated waste water discharge, 177, 179, 184
Heinle, D. R., 186–209
Hidu, H., 85–92
High temperature discharge water, 126
Hogchoker, 104–5, 108, 111–3, 115–7
eggs, 104–5, 107, 110–1
larvae, 104–5, 108, 110–2
juveniles, 104–5, 108, 112
nursery area, 107
Homarus americanus, 24, 25, 27
Hot water discharge, 131
Humbolt Bay steam electric station, 145, 153
Hunterston steam electric station, 255, 291
Hydroid, 79, 81, 214–6

I

Invertebrate, temperature, metabolic adaptation, 236
respiration, 237–8
Isotherm, 140–1
surface, 140, 148, 151
Ivory barnacle, 82

J

Jack pine, 120
Jassa falcata, 96
Jellyfish, 214
Jones, H. N., Jr., and D. S. Haven, 75–84
Jorgenson, S. C., 65

K

Kilowatts (KW), 131, 133
King salmon, 150

L

Laminaria, 172
Laurencia, 172
Lawler, A. R., 65–67
Lepidactylus dytiscus, 96
Leptocuma, n. sp., 96
Lethal temperature, 228, 230
Libinia emarginata, 238
Little neck clams, 153
Lucifer faxoni, 36, 42–4, 46–7
Lumbrenereis sp., 96
Lunar phase, 36
Lyngbya confervoides, 34

M

Macoma balthica, 221–2
Macro algae, 172–3
Macrocystis, 172
  spp., 141
Magelona papillicornis, 96
Magnetohydrodynamics, 132
Mangum, C. P., 64–5
Marine algae, 29
  calanoids, 197
  thermal plants, 136
Marinogammarus, 2
  finmarchicus, 3, 14
  obtusatus, 3, 14
  stoerensis, 3
Marsh vegetation, 307, 311
McErlean, A. J., H. J. Brinkley, and J. A. Mihursky, 293–296
———, W. L. Dovel and J. A. Mihursky, 104–119
Megawatts (MW), 131–3, 136–9, 140–5, 210
Mellita quinquesperforata, 96
Membanipora crustulenta, 221–2
Menhaden, pugheaded, 67–8
Menidia menidia, 229
Menippe mercenaria, 253
Mercenaria mercenaria, 29, 256–7
Meroplankton, 36, 253
Merriman, D. and L. Walford, 289–291
Metabolic temperature interrelationship, 238
  temp. curve, 237, 240
Micro algae, 173–4
  benthic, 172–3
  epiphytic, 172
Microcoleus chthonoplastes, 30, 32, 34
  lyngbyaceus, 30, 32, 34
Microconia prolifera, 79
Micruropus alaskensis, 14
Mihursky, J. A., H. J. Brinkley, and A. J. McErlean, 293–296
———, W. L. Dovel and A. J. McErlean, 104–119
  and J. B. Pearce, 125–127
Milita nitida, 222
Mitrella lunata, 96
Molgula, 5, 81, 221
  manhattensis, 6, 29, 79, 215, 221
Molluscs, 153
Monoculodes edwardsi, 8, 96
Monostroma leptodermum, 31–2, 34
Morgan, R. P., II, and R. G. Stross, 165–171
Mountford, K., 327–330
mucronatus, 15
Mud crab, 221
Mud snail, 239
Mud-tubeworm, 221
Mussel, 230–1
  spat, 233
Mya arenaria, 48, 53, 59
Mytilus, 230–1, 233
  edulis, 230, 257

N

Na-β-glycerophosphate, 24
Na-Cacodylate-HCl, 24
Najas flexilis, 159
Nannoplankton, 333
Nash, C., 279
Nassarius, 255
  obsoleta, 239
  reticulatus, 255
  vibex, 96
Nauman, J. W., and R. L. Cory, 210–217, 218–226
Navicula sp., 241
Nematoda, 222
Nemertean, 96
Neohaustorius schmitzi, 95–7
Neomysis awatschensis, 151
Neopanope texana, 96
Nepthys picta, 96
Nereis succinea, 64, 222
  vexillosa, 64
Nermetina, 221–2
Neurospora crassa, 285–6
Nitella, 285, 286
Nitrogen, 303, 318–9
Nocomis, 74
  micropogon, 69–70, 72–4
North, W. J., and J. R. Adams, 139–144
Norway spruce, 120
Notropis ardens, 73
  cerasinus, 72
  cornutus, 69, 72–4
    × *Clinostomus funduloides*, 73
    × *N. rubellus*, 69, 72–3
  rubellus, 69, 72–4
    × *Clinostomus funduloides*, 69–74
Nuclear facilities
  see Nuclear power plants
Nuclear fueled plant
  see Nuclear power plant
Nuclear plant
  see Nuclear power plant
Nuclear power plant, 131–5, 153
  siting, 154
Nuclear reactor, 132
  thermal stations, 145
  unit, see Nuclear power plant
Nudibranchs, 83

O

Ocypode quadratus, 238
Oithona, 191
  brevicornis, 189, 190–2, 199, 200, 202
Olivella mutica, 96
Oncorhyuchus kisutch, 294
  tshawytscha, 148
Opossum shrimp, 151
  survival, 151
Orange file fish, 83
Orchestia uhleri, 8
Organic waste, 178
Oscillatoria nigro-viridis, 34
  salinarium, 34
  subuliformis, 34
Osmic acid, 24
Ostrea edulis, 85–6, 91
  lurida, 153
Ovalipes ocellatus, 96
Ozyurostylis smithi, 96
Oyster, 48, 53, 65–7, 75–80, 83, 85–6, 153, 242–6, 248, 250
  bed, 15
  condition, 245, 247–9
  copper-uptake, 241–2, 246, 250–1
  greening, 241, 245–8, 250–1
  gregarious setting, 85–6, 90–1
  larvae, 85–91
  Marennes, 241
  mortality, 245, 249–50
  shells, 75–80, 83, 86–90
  spat, 85–90
  thermal addition effects, 210
Oxygen diffusion, 322–3

P

Pagurus longicarpus, 96
palustris, 13
Panopeus herbstii, 253, 254
Parafoxus floridana, 96
Parahaustorius longimerus, 96
Passage time, 147
Patuxent estuary, 125, 166, 207
  epifauna, 210–1
Pearce, J. B., 227–233
  and J. A. Mihursky, 125–127
Penaeus, 36, 40–42, 46
  aztecus, 36–41, 46
  duororum, 36–41, 46
  setiferus, 37, 38
Penicillus capitatus, 174
Peridinium, 101
Periphytic plants, 307–8
Pesticides, 133
Phaeophorbides, 301
Phaeo-pigments, 301
Phaeophyta, 31
Phaeophytins, 301
Photosynthesis, 165–7, 169, 322–3, 330
  inhibition, 165
  stimulation, 165
Photosynthetic protozoans, 178
Phragmites communis, 158
Phytoplankton, 117, 166, 168, 170–2, 218, 235, 237, 302–3, 307–8, 333
  bloom, 103
Picea abies, 120
  glauca, 120
  rubra, 120
Pine, eastern white, 120–1
  jack, 120
  pitch, 120
  red, 120, 122
  Virginia, 120–2
Pinnixa chaetopterana, 96
  cylindrica, 96
  sayanna, 96
Pinus banksiana, 120
  resinosa, 120
  rigida, 120
  strobus, 120
  virginiana, 120
Pismo clam, 151–2
Pissodes strobi, 120
Pitch pine, 120
Pittsburg steam electric station, 148

Plankton, 313
carbon, 319
growth rate, 313–7, 320
yield, 313–4
light, 318–9
Planktivores, behaviorally selective filter feeders, 197
mechanically selective filter feeders, 197
passive filter feeders, 197–8
Pleurogonimus malaclemys, 239, 240
Polinices duplicatus, 96
Pollutant mix, 133
Pollution, 127
indicators, 172
synergistic effects, 133
thermal, 127
Polycelis mutabilis, 66
Polydora, 224–5
ligni, 215, 221–3
Polysiphonia denudata, 31–4
nigrescens, 31–4
Polyvinyl toluene, 383
Population biology, 178
Porphyra umbilicalis, 31–2, 34
Porphyrosiphon notorisii, 30, 32–4
Potamogeton, 158
perfoliatus, 158–9, 163
Primary production, 171, 207
productivity, 299, 300–1, 307, 327, 331
Propylene oxide, 24
Prorocentrum, 101
Protohaustorius deichmannae, 96
Protothaca staminae, 153
Protozoan, 180, 183–5
Protozoan community, 179, 182, 184
Pseudocalanus, 194
minutes, 194–5

Q

Quality of the environment, 127

R

Radioactivity, 153
Radionuclides, 153
Rana cyanophlyctis, 286
Reactor discharge, 263
Red pine, 120, 122
spruce, 120
Residence time, 166
Respiration, 322–3, 327, 332
rate, 163
Rhithropanopeus, 221
Rhithropanopeus harrisii, 221–3, 253–4
Rhodophyta, 30–1
Rivulogammarus, 2, 16, 17
duebeni, 2
roeseli, 15
Roccus saxatilis, 148
Roosenburg, W. H., 241, 252
Rosen, B., M. C. Tatro, and J. F. Ward, 48–52
Rotifer sp., 222
Ruppia, 60, 77, 80, 158
maritima, 158–9

S

Saccacoelium beauforti, 239, 240
Sagartia, 221, 225
leucolena, 221–2
see also *Cylista leucolena*
Salinity, 29, 31, 36, 75–6, 83, 86, 94, 105–7, 112, 116–7, 186, 192, 242–3, 245
gradient, 211
range, 109, 220
tolerance, 84
Salmon, 261
behavior, 268–9, 270–1
chinook, 261–3, 265, 269, 272–4
egg growth, 263
mortality, 263
feeding habits, 261
food availability, 261
fry growth, 261
mortality, 266
growth, 262, 268
incubation success, 263
loss of equilibrium, 269–70
migration, 261, 269, 273–4
mortality, 261–3, 267
predation susceptibility, 269
rearing success, 263
sockeye, 272, 275
sonic tag, 269, 273
survival, 150
Saxidomus giganteus, 153
Schizothrix calcicola, 30, 32, 34
Schubel, J. R., and R. B. Biggs, 18–23
Scolaricia sp., 96
Scolelepis squamata, 95, 96, 97
Sea grape, 221
grasses, 172
nettle, 75
ephyrae, 77, 82–3
medusae, 77, 81–2, 84
polyps, 75–80, 82–4
stars, 231
Sediment, 20–22
resuspension, 22–3
trap, 21–23
Seeley, C. M., 322–326
Sertularia argentea, 79
Sesarma cinereum, 253–4
Seston, 18, 20–3
Sewage, pollution, 69
Shad, American, 67
Shellfish culture, warm water irrigation, 256
Shrimp, 39, 41–2
opossum, 151
penaeid post larvae, 36–42, 44, 46
Shoreline discharge, 147
intake, 147
Silverside, 229
Snail, mud, 239
Soft-shell clam, 48–9, 50–4, 56–62
Sockeye salmon, 272, 275
Sorge, E. V., 131–138
Sorokin, C., 313–321
Spartina, 14, 77, 80, 311
alterniflora, 158
Spat, mussel, 233
Spider crab, 238–9
Spirobis, 86
Spirulina subsalsa, 30, 32, 34
Sponge, 29, 78
boring, 79
red finger, 79
Spotfin killifish, 65
Spruce, red, 120
Norway, 120
Steam electric station (S.E.S.), 125, 131, 145, 210, 215, 218
design, 126
discharge water, high temperature, 126
toxic substances, 126
effects, epifauna, 218
effluent canal, 211–3, 216, 218–9, 221, 224–5
intake, canal, 211, 213, 218, 221, 224–5
misc. ref. in text, 133, 137, 145, 148, 153, 166, 198, 210, 218–9, 242, 255, 291
site selection, 126
siting, 126, 231
tabulation of companies, station names, location, output, fuel source, 136–138, 140, 142–3
Steelhead trout, 261–2, 269, 272–4
Streptococcus faecalis, 286
Striped bass, 11, 148, 150
survival, 150
Stross, R. G., and R. P. Morgan, II, 165–171
Stylochus, 225
ellipticus, 65–6, 221–2
Submerged discharge, 147
intake, 147
Surface isotherm, 140, 148, 151
temperature, 142

T

Tatro, M. C., B. Rosen, and J. F. Ward, 48–52
and J. F. Ward, 53–58, 59–63
Tautog, 229
Tautoga onitis, 229
Tautogolabrus adspersus, 229
Taylor, J. E., 299–300
Tellina, 255
agilis, 96
fabula, 255
tenuis, 255
Temperature, 36, 75, 82–3, 86, 94, 212, 215, 218, 261, 289
alterations, 126
area relationship, 151
biological role, 125
change, 125
cyclic changes, 232
dependence, metabolism, zooplankton, 207
differential, 140–1
distance relationship, 151
effects, 102, 125, 158, 178
metabolism, 195
reproduction, 261
effluent water, 166
elevations, 157
environmental factor, 126

exposure time, 148
extremes, 82
growth rate, 276
increases, 133, 242
induced injury, 157
influence, invertebrates, 234
lethal, 228, 230
measurement, 148
metabolic rate, 276
related research, aquaculture, 291
dose response, 290
embryological development, 290
energetics, 290
exotic species, 290
predictive models, 290
resistance times, 290
spawning, 290
requirements, aquatic animals, 126
aquatic plants, 126
role, 125
sustained swimming speed, 276
tolerance, 157, 230, 276
polygon, 293
Thermal addition, 131, 211, 228, 230, 307
effects, crabs, 210
finfish, 210
oysters, 210
discharge, 131, 148, 179, 210
ecological effects, 125, 261
dose, 270
effluent, 133, 144
enrichment, 131
inhibition, 168
plant, 142–3, 145
see also thermal power plant
pollution, 127, 131, 172–4
physico-chemical limit, 283
power plant, 145, 154
station, 139, 140, 142, 145
see also thermal power plant
research, 127
shock, 180, 182, 269, 270
protozoan, 179
station, 139, 142, 144
see also thermal power plant
stimulation, 168–9
tolerance, 186, 208, 294
Thermocline, 143
Tendipedidae sp., 222
see also Chironimidae sp.
Tenellia sp., 222
Terebra concava, 96
Thais, 230
lapillus, 231
Thalassia, 173
Tivela stultorum, 151
Tortanus discaudatus, 194
Toxic substances, discharge water, 126
Trachypenus constrictus, 36, 42–4, 46
Trematodes, 239
Tresus nutalli, 153
Triangular tolerance, 295–6
Trinectes maculatus, 104, 108, 110–1, 115, 117
Tsai, C. F., and R. B. Zeisel, 69–74
Tube building amphipods, 214–5
Tunicate, 29, 79, 214–5
Turbidities, 211, 215, 220
Turbidity, 18, 101, 105
Turbidity maximum, 18, 23
Turbulence, 148
Turkey Point steam electric station, 133

U

Uca pugilator, 235
pugnax, 235–8
rapax, 235–6, 238
uruguayensis, 235
Ulothrix flacca, 31–2, 34
Ulva lactua, 31–2, 34
Uranyl acetate, 24
Urothoe, 255
brevicornis, 255

V

Vallisneria spiralis, 157
Valonia, 286
macrophysa, 285
utricularis, 285
Vernberg, F. J. and W. B. Vernberg, 234–240
Vernberg, W. B., and F. J. Vernberg, 234–240
Victorella, 221–4
Virginia pine, 120–2
Vorticella pavida, 222
sp., 222

W

Walford, L. and D. Merriman, 289–291
Ward, J. F., B. Rosen, and M. C. Tatro, 48–52
Ward, J. F. and M. C. Tatro, 53–58, 59–63
Warlen, S. M., 67–8
Waste, domestic, 133
heat, constructive use, 126
discharge, 125
Water velocity, 147
Webb, K. L., and B. L. Wulff, 29–35
White perch, 111
pine weevil, 120–1
spruce, 120
Williams, A. B., 36–47
Wind direction, 36
Winter flounder, 228–9
Wood, E. J. F., and J. C. Zieman, 172–174
Wulff, B. L., and K. L. Webb, 29–35

Z

Zeisel, R. B. and C. F. Tsai, 69–74
Zieman, J. C., and E. J. F. Wood, 172–174
Zinc-65, 153
Zooplankton, 186, 192, 198, 205, 253
ecology, 186
metabolic rate, 207
physiology, 186
Zostera, 77, 80
marina, 29